

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE: U.S. ISSUED PATENT

Attorney Docket No. 713128.205

APPLICANT: Katsutoshi Tozawa

U.S. PATENT NUMBER: RE39,330

DATE OF PATENT: October 10, 2006

ISSUING FROM U.S. PATENT APPLICATION NO.: 10/718,508

FOR: SPEAKER SYSTEM AND A METHOD FOR IMPROVING SOUND QUALITY
THEREOF

**REQUEST FOR ISSUANCE OF A
CERTIFICATE OF CORRECTION**


Commissioner for Patents
Attn: Certificate of Correction Branch.
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Enclosed herewith is a Certificate of Correction, in duplicate, in connection with U.S. Patent No. RE39,330. The errors indicated on the enclosed form are printing errors and it is requested that a Certificate of Correction be issued.

Date: 24 Oct 06

Respectfully submitted,


Samuel Digirolamo
Reg. No. 29,915
Blackwell Sanders Peper Martin LLP
720 Olive Street, Suite 2400
St. Louis, MO 63101
314-345-6000

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO : RE39,330

APPLICATION NO: 10/718,508

ISSUE DATE : October 10, 2006

INVENTOR(S) : Katsutoshi Tozawa

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (57) Abstract, line 3 delete "insulation" and replace with - - isolation - -
Col. 1, line 24, delete "problem" and replace with - - problems - -
Col. 1, line 34, delete "exposition" and replace with - - expansion - -
Col. 2, line 3, delete "performed" and replace with - - perforated - -
Col. 2, line 4, delete "problem" and replace with - - problems - -
Col. 2, line 8, delete "based" and replace with - - board - -
Col. 2, line 9, delete "Standing" and replace with - - standing - -
Col. 2, line 18, delete "tie" and replace with - - the - -
Col. 2, line 24, delete "speaks" and replace with - - speaker - -
Col. 2, line 27, delete "an" and replace with - - can - -
Col. 2, line 44, delete "then" and replace with - - than - -
Col. 2, line 47, delete "outer" and replace with - - other - -
Col. 2, line 53, delete "am" and replace with - - one - -
Col. 2, line 53, delete "tow" and replace with - - total - -
Col. 2, line 55, delete "then" and replace with - - than - -
Col. 2, line 58, delete "on"
Col. 3, line 4, delete "firm" and replace with - - first - -
Col. 3, line 47, delete "am" and replace with - - are - -
Col. 4, line 17, delete "6a is" and replace with - - 6a in - -
Col. 4, line 37, delete "tuba" and replace with - - tubes - -
Col. 4, line 42, delete "83 cm" and replace with - - 85 cm - -
Col. 4, line 49, delete "it improved" and replace with - - is improved - -
Col. 4, line 52, delete "pager" and replace with - - paper - -
Col. 4, line 53, delete "rating" and replace with - - small - -
Col. 4, line 54, delete "03 mm" and replace with - - 0.3 mm - -
Col. 5, line 4, delete "37 cm" and replace with - - 57 cm - -
Col. 5, line 7, delete "heights" and replace with - - height - -
Col. 5, line 25, delete "same a" and replace with - - same as - -
Col. 5, line 41, delete "to a" and replace with - - to an - -
Col. 5, line 51, delete "from" and replace with - - front - -
Col. 5, line 65, delete "unit a" and replace with - - unit as - -
Col. 6, line 6, delete "0.01" and replace with - - 0.04 - -
Col. 6, line 9, delete "a adhesive" and replace with - - an adhesive - -
Col. 6, line 14, delete "fame" and replace with - - frame - -

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 2

PATENT NO : RE39,330

APPLICATION NO: 10/718,508

ISSUE DATE : October 10, 2006

INVENTOR(S) : Katsutoshi Tozawa

Col. 6, line 29, delete "currogated" and replace with - - corrugated - -
Col. 7, line 5, delete "a shown" and replace with - - as shown - -
Col. 7, line 11, delete "is thickness, is shown" and replace with - - in thickness, as shown - -
Col. 7, line 34, delete "convoluted" and replace with - - corrugated - -
Col. 7, line 47, delete "distortion is" and replace with - - distortion in - -
Col. 7, line 65, delete "a shown" and replace with - - as shown - -
Col. 7, line 66, delete "a shown" and replace with - - as shown - -
Col. 8, line 1, delete "tide" and replace with - - side - -
Col. 8, line 4, delete "inside" and replace with - - made - -
Col. 8, line 24, delete "other" and replace with - - rather - -
Col. 8, line 31, delete "use" and replace with - - case - -
Col. 8, line 38, delete "or 40" and replace with - - of 40 - -
Col. 8, line 39, delete "those" and replace with - - three - -
Col. 8, line 48, delete "cabinet" and replace with - - cabinets - -
Col. 8, line 53, delete first occurrence of "46" and replace with - - 40 - -
Col. 8, line 61, delete "a shown" and replace with - - as shown - -
Col. 9, line 12, delete "bond" and replace with - - board - -
Col. 9, line 13, delete "0.3 g/cm²" and replace with - - 0.5 g/cm² - -
Col. 9, line 28, delete "has so" and replace with - - has to - -
Col. 9, line 58, delete "two a" and replace with - - two or - -
Col. 10, line 25, delete "my" and replace with - - may - -
Col. 10, line 29, delete "wothout" and replace with - - without - -
Claim 1, Col. 10, line 49, delete "a least" and replace with - - at least - -
Claim 3, Col. 11, line 1, delete "a claim" and replace with - - to claim - -
Claim 6, Col. 12, line 5, delete "cabin" and replace with - - cabinet - -

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Samuel Digirolamo, Esq.
Blackwell Sanders Peper Martin, LLP
720 Olive Street, Suite 2400
St. Louis, MO 63101

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO : RE39,330

APPLICATION NO: 10/718,508

ISSUE DATE : October 10, 2006

INVENTOR(S) : Katsutoshi Tozawa

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (57) Abstract, line 3 delete "insulation" and replace with - - isolation - -
Col. 1, line 24, delete "problem" and replace with - - problems - -
Col. 1, line 34, delete "exposition" and replace with - - expansion - -
Col. 2, line 3, delete "performed" and replace with - - perforated - -
Col. 2, line 4, delete "problem" and replace with - - problems - -
Col. 2, line 8, delete "based" and replace with - - board - -
Col. 2, line 9, delete "Standing" and replace with - - standing - -
Col. 2, line 18, delete "tie" and replace with - - the - -
Col. 2, line 24, delete "speaks" and replace with - - speaker - -
Col. 2, line 27, delete "an" and replace with - - can - -
Col. 2, line 44, delete "then" and replace with - - than - -
Col. 2, line 47, delete "outer" and replace with - - other - -
Col. 2, line 53, delete "am" and replace with - - one - -
Col. 2, line 53, delete "tow" and replace with - - total - -
Col. 2, line 55, delete "then" and replace with - - than - -
Col. 2, line 58, delete "on"
Col. 3, line 4, delete "firm" and replace with - - first - -
Col. 3, line 47, delete "am" and replace with - - are - -
Col. 4, line 17, delete "6a is" and replace with - - 6a in - -
Col. 4, line 37, delete "tuba" and replace with - - tubes - -
Col. 4, line 42, delete "83 cm" and replace with - - 85 cm - -
Col. 4, line 49, delete "it improved" and replace with - - is improved - -
Col. 4, line 52, delete "pager" and replace with - - paper - -
Col. 4, line 53, delete "rating" and replace with - - small - -
Col. 4, line 54, delete "03 mm" and replace with - - 0.3 mm - -
Col. 5, line 4, delete "37 cm" and replace with - - 57 cm - -
Col. 5, line 7, delete "heights" and replace with - - height - -
Col. 5, line 25, delete "same a" and replace with - - same as - -
Col. 5, line 41, delete "to a" and replace with - - to an - -
Col. 5, line 51, delete "from" and replace with - - front - -
Col. 5, line 65, delete "unit a" and replace with - - unit as - -
Col. 6, line 6, delete "0.01" and replace with - - 0.04 - -
Col. 6, line 9, delete "a adhesive" and replace with - - an adhesive - -
Col. 6, line 14, delete "fame" and replace with - - frame - -

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 2

PATENT NO : RE39,330

APPLICATION NO: 10/718,508

ISSUE DATE : October 10, 2006

INVENTOR(S) : Katsutoshi Tozawa

Col. 6, line 29, delete "currogated" and replace with - - corrugated - -
Col. 7, line 5, delete "a shown" and replace with - - as shown - -
Col. 7, line 11, delete "is thickness, is shown" and replace with - - in thickness, as shown - -
Col. 7, line 34, delete "convoluted" and replace with - - corrugated - -
Col. 7, line 47, delete "distortion is" and replace with - - distortion in - -
Col. 7, line 65, delete "a shown" and replace with - - as shown - -
Col. 7, line 66, delete "a shown" and replace with - - as shown - -
Col. 8, line 1, delete "tide" and replace with - - side - -
Col. 8, line 4, delete "inside" and replace with - - made - -
Col. 8, line 24, delete "other" and replace with - - rather - -
Col. 8, line 31, delete "use" and replace with - - case - -
Col. 8, line 38, delete "or 40" and replace with - - of 40 - -
Col. 8, line 39, delete "those" and replace with - - three - -
Col. 8, line 48, delete "cabinet" and replace with - - cabinets - -
Col. 8, line 53, delete first occurrence of "46" and replace with - - 40 - -
Col. 8, line 61, delete "a shown" and replace with - - as shown - -
Col. 9, line 12, delete "bond" and replace with - - board - -
Col. 9, line 13, delete "0.3 g/cm²" and replace with - - 0.5 g/cm² - -
Col. 9, line 28, delete "has so" and replace with - - has to - -
Col. 9, line 58, delete "two a" and replace with - - two or - -
Col. 10, line 25, delete "my" and replace with - - may - -
Col. 10, line 29, delete "wothout" and replace with - - without - -
Claim 1, Col. 10, line 49, delete "a least" and replace with - - at least - -
Claim 3, Col. 11, line 1, delete "a claim" and replace with - - to claim - -
Claim 6, Col. 12, line 5, delete "cabin" and replace with - - cabinet - -

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Samuel Digirolamo, Esq.
Blackwell Sanders Peper Martin, LLP
720 Olive Street, Suite 2400
St. Louis, MO 63101

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.